


Standard Duty Steel Lintel TS150/125

Wall Construction
Inner Leaf
Outer Leaf
Cavity
Cavity
Loading Conditions
CAVITY WALL
125-140
125-140
150-165



Specification

Product Code	Standard Length (mm)	SWL (kN) 1:1/3:1	Weight (kg)	Nominal Height (mm)
TS150/1250750	750	12	6.45	153
TS150/1250900	900	12	7.74	153
TS150/1251050	1050	12	9.03	153
TS150/1251200	1200	12	15.12	153
TS150/1251350	1350	17	17.01	198
TS150/1251500	1500	17	18.90	198
TS150/1251650	1650	17	20.79	198
TS150/1251800	1800	17	22.63	198
TS150/1251950	1950	20	24.57	236
TS150/1252100	2100	20	26.46	236
TS150/1252250	2250	20	37.78	236
TS150/1252400	2400	20	40.30	236
TS150/1252550	2550	26	32.13	229**
TS150/1252700	2700	26	47.68	229**
TS150/1252850	2850	26	50.33	229**
TS150/1253000	3000	26	52.98	229**



All ratios are shown inner to outer

- ** Channel to inner leaf
- The SWL (safe working load) is based on the total UDL (uniform distributed load) over maximum span using 150mm end bearings.
- Standard lengths are available in increments of 150mm at lengths up to 3000mm.
- Separate DPC tray required
- Achieving a remarkably low Psi value ensures this Catnic lintel will always meet the performance criteria requirements of Appendix Q found in SAP 2012 providing easy compliance with Part L of the Building Regulations

Note: Whilst the above information is intended to offer general guidance regarding typical applications, it should not be considered as comprehensive. Requirements not fully covered by the above should be referred to our technical services department for individual consideration.

Catnic

Pontypandy Industrial Estate Caerphilly CF83 3GL United Kingdom +44 (0)29 2033 7900

catnic.technical@tatasteeleurope.com catnic.com

Tata Steel UK Limited

18 Grosvenor Place, London, SW1X 7HS Registered in England No. 02280000 Care has been taken to ensure that the contents of this publication are accurate, but Tata Steel Europe Limited and its subsidiaries, which includes Tata Steel UK Limited, do not accept responsibility or liability for errors or information that is found to be misleading. Before using products or services supplied or manufactured by Tata Steel Europe Limited and its subsidiaries, customers should satisfy themselves as to their suitability.

© Copyright 2025 Tata Steel UK Limited