

| | | | |
|------------------------|--------|-------------------|--|
| Uniclass L325:P4142 | | EPIC F631:X442 | |
| Cl/Sfb | (31.9) | Hh2 | |
| February 2018 | | | |



Lintels

Trade price list

Effective 1st February 2018



Lintels

Catnic is committed to offering brand leading steel lintels to suit any size, shape, length, breadth and depth of doorway, archway, window and aperture.



We are fully committed to providing first class service and support to the building industry. Our sales and technical teams are trained and experienced, with comprehensive product and industry knowledge.

Customer Services

To order or enquire about any Catnic product, please call on **029 2033 7900** or fax **029 2086 7796**.

Technical Services

For advice on the most appropriate lintel for wall constructions, loadings, products not listed in this price list or for further technical details, please call on **029 2033 7900**.

Lintel availability (all lintels)

Standard stocked products are available in 3-5 working days. Non-stocked products are available in 6 working days unless stated otherwise.

A small surcharge will be levied on all orders less than £1000 net value.

Next day delivery available. Terms and conditions apply.



Cavity Wall Lintels

100-115mm Inner Leaf

50-65mm Cavity Wall



| (mm) | CG50/100 | CH50/100 | CX50/100 |
|------|----------|----------|----------|
| 750 | — | — | — |
| 900 | 97.17 | 110.63 | 163.30 |
| 1050 | — | 127.43 | 191.44 |
| 1200 | 125.92 | 143.37 | 216.93 |
| 1350 | — | 163.90 | 245.75 |
| 1500 | 162.73 | 195.58 | 269.05 |
| 1650 | — | 237.26 | 297.70 |
| 1800 | 202.28 | 264.79 | 312.93 |
| 1950 | — | 304.38 | 351.05 |
| 2100 | 232.27 | 347.06 | 376.43 |
| 2250 | — | 365.35 | 424.27 |
| 2400 | 284.70 | 430.88 | 447.21 |
| 2550 | — | — | 464.85 |
| 2700 | 323.14 | — | 524.11 |
| 2850 | — | — | 574.07 |
| 3000 | 447.37 | — | 605.89 |
| 3300 | 499.40 | — | 697.93 |
| 3600 | 547.99 | — | 759.97 |
| 3900 | — | — | 874.91 |
| 4200 | — | — | 971.21 |
| 4575 | — | — | 1089.10 |
| 4800 | — | — | 1141.44 |

70-85mm Cavity Wall



| (mm) | CG70/100 | CH70/100 | CX70/100 |
|------|----------|----------|----------|
| 750 | — | — | — |
| 900 | 94.24 | 110.64 | 163.94 |
| 1050 | — | 129.64 | 201.41 |
| 1200 | 125.75 | 147.17 | 227.80 |
| 1350 | — | 167.19 | 248.66 |
| 1500 | 157.07 | 211.07 | 272.28 |
| 1650 | — | 256.22 | 301.47 |
| 1800 | 196.62 | 277.93 | 316.78 |
| 1950 | — | 310.55 | 358.01 |
| 2100 | 224.87 | 348.53 | 369.56 |
| 2250 | — | 375.69 | 432.14 |
| 2400 | 266.57 | 433.74 | 499.03 |
| 2550 | — | — | 531.52 |
| 2700 | 307.66 | — | 569.21 |
| 2850 | — | — | 599.37 |
| 3000 | 437.80 | — | 632.90 |
| 3300 | 485.82 | — | 737.87 |
| 3600 | 529.87 | — | 806.45 |
| 3900 | — | — | 896.72 |
| 4200 | — | — | 1002.40 |
| 4575 | — | — | 1094.17 |
| 4800 | — | — | 1160.94 |

90-105mm Cavity Wall



| (mm) | CG90/100 | CH90/100 | CX90/100 |
|------|----------|----------|----------|
| 750 | 83.67 | — | — |
| 900 | 98.01 | 133.90 | 177.87 |
| 1050 | 112.06 | 157.04 | 205.87 |
| 1200 | 130.66 | 179.50 | 233.49 |
| 1350 | 147.06 | 201.84 | 261.28 |
| 1500 | 163.36 | 231.77 | 289.08 |
| 1650 | 180.02 | 261.55 | 312.80 |
| 1800 | 196.62 | 284.69 | 343.92 |
| 1950 | 221.21 | 315.38 | 387.28 |
| 2100 | 233.86 | 353.02 | 414.95 |
| 2250 | 265.62 | 411.32 | 446.09 |
| 2400 | 281.98 | 440.88 | 498.38 |
| 2550 | 309.79 | — | 578.09 |
| 2700 | 337.65 | — | 612.59 |
| 2850 | 404.73 | — | 645.46 |
| 3000 | 439.26 | — | 691.75 |
| 3300 | 497.89 | — | 792.77 |
| 3600 | 546.39 | — | 864.91 |
| 3900 | — | — | 964.58 |
| 4200 | — | — | 1106.02 |
| 4575 | — | — | 1240.96 |
| 4800 | — | — | 1323.70 |

Please note: All prices shown in GBP. Prices shown in Orange are non-stocked products and are available in 6 working days.

Cavity Wall Lintels

100-115mm Inner Leaf

110-125mm Cavity Wall



| (mm) | CG110/100 | CH110/100 | CX110/100 |
|------|-----------|-----------|-----------|
| 750 | 96.36 | — | — |
| 900 | 115.59 | 181.12 | 214.51 |
| 1050 | 134.86 | 211.29 | 250.25 |
| 1200 | 154.14 | 241.47 | 285.99 |
| 1350 | 173.39 | 271.66 | 321.40 |
| 1500 | 192.64 | 301.84 | 357.49 |
| 1650 | 264.87 | 331.99 | 393.23 |
| 1800 | 288.99 | 362.20 | 428.96 |
| 1950 | 329.65 | 468.92 | 464.72 |
| 2100 | 355.02 | 505.00 | 500.47 |
| 2250 | 536.97 | 541.04 | 536.21 |
| 2400 | 572.79 | 577.13 | 643.44 |
| 2550 | 608.58 | — | 683.66 |
| 2700 | 644.39 | — | 723.87 |
| 2850 | 680.16 | — | 764.09 |
| 3000 | 714.76 | — | 804.29 |
| 3300 | 787.57 | — | 958.20 |
| 3600 | 859.17 | — | 1074.65 |
| 3900 | — | — | 1226.75 |
| 4200 | — | — | 1336.90 |
| 4575 | — | — | 1458.25 |
| 4800 | — | — | 1526.78 |

130-145mm Cavity Wall



| (mm) | CG130/100 | CH130/100 | CX130/100 |
|------|-----------|-----------|-----------|
| 750 | 125.75 | — | — |
| 900 | 150.90 | 185.52 | 220.70 |
| 1050 | 176.03 | 216.47 | 257.47 |
| 1200 | 201.18 | 247.35 | 294.25 |
| 1350 | 226.31 | 278.28 | 331.04 |
| 1500 | 251.48 | 309.19 | 367.82 |
| 1650 | 276.60 | 340.10 | 404.60 |
| 1800 | 301.73 | 371.01 | 441.38 |
| 1950 | 343.52 | 481.69 | 478.15 |
| 2100 | 369.94 | 518.72 | 514.92 |
| 2250 | 552.96 | 555.77 | 620.67 |
| 2400 | 589.83 | 592.82 | 662.02 |
| 2550 | 626.69 | — | 703.40 |
| 2700 | 663.54 | — | 744.81 |
| 2850 | 700.44 | — | 786.18 |
| 3000 | 737.28 | — | 827.54 |
| 3300 | 811.00 | — | 1094.41 |
| 3600 | 884.73 | — | 1193.88 |
| 3900 | — | — | 1293.36 |
| 4200 | — | — | 1392.85 |
| 4575 | — | — | 1517.21 |
| 4800 | — | — | 1591.83 |

150-165mm Cavity Wall



| (mm) | CG150/100 | CH150/100 | CX150/100 |
|------|-----------|-----------|-----------|
| 750 | 131.08 | — | — |
| 900 | 157.28 | 192.90 | 225.65 |
| 1050 | 183.50 | 225.03 | 263.27 |
| 1200 | 209.69 | 257.17 | 300.87 |
| 1350 | 235.91 | 289.32 | 338.49 |
| 1500 | 262.11 | 321.48 | 376.07 |
| 1650 | 288.33 | 353.60 | 413.69 |
| 1800 | 314.55 | 385.75 | 451.29 |
| 1950 | 351.81 | 497.62 | 488.91 |
| 2100 | 378.89 | 535.90 | 526.49 |
| 2250 | 565.76 | 574.17 | 634.60 |
| 2400 | 603.46 | 612.45 | 676.91 |
| 2550 | 641.17 | — | 719.22 |
| 2700 | 678.91 | — | 761.52 |
| 2850 | 716.61 | — | 803.82 |
| 3000 | 754.32 | — | 846.13 |
| 3300 | 829.74 | — | 1119.97 |
| 3600 | 905.18 | — | 1221.77 |
| 3900 | — | — | 1323.58 |
| 4200 | — | — | 1425.41 |
| 4575 | — | — | 1552.66 |
| 4800 | — | — | 1629.03 |

125-140mm Wide Inner Leaf

50-65mm Cavity Wall



| (mm) | CG50/125 | CH50/125 | CX50/125 |
|------|----------|----------|----------|
| 750 | — | — | — |
| 900 | — | 127.11 | 176.63 |
| 1050 | — | 163.36 | 206.07 |
| 1200 | 125.75 | 178.47 | 237.18 |
| 1350 | — | 204.93 | 264.93 |
| 1500 | 161.59 | 236.76 | 294.36 |
| 1650 | — | 266.38 | 315.47 |
| 1800 | 200.68 | 293.86 | 339.80 |
| 1950 | — | 348.26 | 367.92 |
| 2100 | 231.67 | 375.55 | 410.40 |
| 2250 | — | 405.82 | 466.91 |
| 2400 | 282.44 | 432.96 | 514.38 |
| 2550 | — | — | 573.17 |
| 2700 | 323.14 | — | 640.81 |
| 2850 | — | — | 706.20 |
| 3000 | 446.34 | — | 782.14 |
| 3300 | — | — | 860.50 |
| 3600 | — | — | 938.69 |
| 3900 | — | — | 1016.19 |
| 4200 | — | — | 1128.83 |
| 4575 | — | — | 1210.01 |
| 4800 | — | — | 1290.30 |

70-85mm Cavity Wall



| (mm) | CG70/125 | CH70/125 | CX70/125 |
|------|----------|----------|----------|
| 750 | — | — | — |
| 900 | — | 165.18 | 180.69 |
| 1050 | — | 193.28 | 222.45 |
| 1200 | 157.67 | 226.61 | 242.77 |
| 1350 | — | 271.32 | 284.82 |
| 1500 | 198.44 | 301.71 | 307.54 |
| 1650 | — | 341.24 | 355.19 |
| 1800 | 272.33 | 372.53 | 380.72 |
| 1950 | — | 436.97 | 442.13 |
| 2100 | 320.67 | 469.18 | 484.27 |
| 2250 | — | 507.30 | 557.14 |
| 2400 | 442.72 | 560.89 | 603.55 |
| 2550 | — | — | 641.25 |
| 2700 | 519.81 | — | 678.95 |
| 2850 | — | — | 751.27 |
| 3000 | 723.77 | — | 809.82 |
| 3300 | — | — | 891.90 |
| 3600 | — | — | 1001.73 |
| 3900 | — | — | 1074.56 |
| 4200 | — | — | 1178.50 |
| 4575 | — | — | 1269.61 |
| 4800 | — | — | 1341.72 |

90-105mm Cavity Wall




| (mm) | CG90/125 | CH90/125 | CX90/125 |
|------|----------|----------|----------|
| 750 | — | — | — |
| 900 | 134.09 | 193.28 | 199.24 |
| 1050 | — | 228.39 | 247.75 |
| 1200 | 176.07 | 251.81 | 274.85 |
| 1350 | — | 291.88 | 312.98 |
| 1500 | 219.55 | 319.34 | 381.48 |
| 1650 | — | 449.73 | 450.11 |
| 1800 | 277.78 | 485.03 | 491.06 |
| 1950 | — | 525.05 | 531.98 |
| 2100 | 329.20 | 570.98 | 583.44 |
| 2250 | — | 613.80 | 625.16 |
| 2400 | 465.01 | 654.73 | 666.81 |
| 2550 | — | — | 708.48 |
| 2700 | 538.08 | — | 760.48 |
| 2850 | — | — | 794.22 |
| 3000 | 773.88 | — | 864.13 |
| 3300 | — | — | 963.21 |
| 3600 | — | — | 1072.81 |
| 3900 | — | — | 1144.51 |
| 4200 | — | — | 1226.83 |
| 4575 | — | — | 1331.51 |
| 4800 | — | — | 1395.65 |

Please note: All prices shown in GBP. Prices shown in Orange are non-stocked products and are available in 6 working days.

125-140mm Wide Inner Leaf

110-125mm Cavity Wall



| (mm) | CG110/125 | CH110/125 | CX110/125 |
|------|-----------|-----------|-----------|
| 750 | 113.65 | — | — |
| 900 | 136.39 | 193.56 | 223.17 |
| 1050 | 159.10 | 225.81 | 260.37 |
| 1200 | 181.84 | 258.08 | 297.54 |
| 1350 | 204.57 | 290.33 | 334.74 |
| 1500 | 227.29 | 322.59 | 433.91 |
| 1650 | 258.37 | 460.24 | 477.30 |
| 1800 | 286.45 | 502.09 | 520.67 |
| 1950 | 333.46 | 543.91 | 564.08 |
| 2100 | 397.23 | 585.76 | 607.45 |
| 2250 | 517.63 | 627.61 | 650.84 |
| 2400 | 582.73 | 669.44 | 805.80 |
| 2550 | 619.17 | — | 856.15 |
| 2700 | 655.57 | — | 906.53 |
| 2850 | 692.00 | — | 956.90 |
| 3000 | 728.42 | — | 1007.26 |
| 3300 | — | — | 1142.18 |
| 3600 | — | — | 1246.02 |
| 3900 | — | — | 1349.85 |
| 4200 | — | — | 1453.67 |
| 4575 | — | — | 1583.47 |
| 4800 | — | — | 1661.35 |

130-145mm Cavity Wall



| (mm) | CG130/125 | CH130/125 | CX130/125 |
|------|-----------|-----------|-----------|
| 750 | 166.66 | — | — |
| 900 | 170.46 | 228.33 | 310.12 |
| 1050 | 197.86 | 266.37 | 361.83 |
| 1200 | 225.27 | 304.42 | 413.51 |
| 1350 | 251.57 | 342.46 | 465.19 |
| 1500 | 277.88 | 380.53 | 516.86 |
| 1650 | 308.95 | 418.58 | 568.51 |
| 1800 | 340.01 | 456.64 | 620.22 |
| 1950 | 375.38 | 578.69 | 671.90 |
| 2100 | 444.62 | 623.24 | 723.59 |
| 2250 | 565.02 | 667.74 | 775.25 |
| 2400 | 602.77 | 712.25 | 826.94 |
| 2550 | 688.23 | — | 878.61 |
| 2700 | 728.72 | — | 930.33 |
| 2850 | 769.19 | — | 982.01 |
| 3000 | 809.61 | — | 1033.69 |
| 3300 | — | — | 1176.23 |
| 3600 | — | — | 1283.19 |
| 3900 | — | — | 1390.12 |
| 4200 | — | — | 1497.04 |
| 4575 | — | — | 1630.74 |
| 4800 | — | — | 1710.91 |

150-165mm Cavity Wall



| (mm) | CG150/125 | CH150/125 | CX150/125 |
|------|-----------|-----------|-----------|
| 750 | 183.34 | — | — |
| 900 | 191.64 | 242.03 | 355.20 |
| 1050 | 223.57 | 282.35 | 414.41 |
| 1200 | 255.49 | 322.63 | 473.57 |
| 1350 | 287.42 | 362.98 | 532.76 |
| 1500 | 319.34 | 403.30 | 591.34 |
| 1650 | 351.28 | 443.69 | 651.15 |
| 1800 | 383.21 | 484.03 | 710.37 |
| 1950 | 421.90 | 558.57 | 769.53 |
| 2100 | 492.01 | 601.52 | 828.73 |
| 2250 | 612.42 | 644.48 | 887.85 |
| 2400 | 645.97 | 687.45 | 947.12 |
| 2550 | 659.46 | — | 1006.33 |
| 2700 | 770.18 | — | 1065.46 |
| 2850 | 805.02 | — | 1121.22 |
| 3000 | 839.83 | — | 1180.81 |
| 3300 | — | — | 1347.16 |
| 3600 | — | — | 1469.66 |
| 3900 | — | — | 1592.11 |
| 4200 | — | — | 1714.57 |
| 4575 | — | — | 1867.69 |
| 4800 | — | — | 1959.54 |

140-150mm Wide Outer Leaf

Cavity 50mm 75mm 100mm



| (mm) | CN42C | CN99/124C | CN99/1644C |
|------|---------|-----------|------------|
| 750 | — | — | 127.35 |
| 900 | 151.96 | 151.96 | 151.96 |
| 1050 | 178.21 | 178.21 | 178.21 |
| 1200 | 203.49 | 203.49 | 203.49 |
| 1350 | 228.31 | 228.31 | 228.31 |
| 1500 | 253.37 | 253.37 | 253.37 |
| 1650 | 279.85 | 279.85 | 279.85 |
| 1800 | 305.36 | 305.36 | 305.36 |
| 1950 | 336.11 | 336.11 | 336.11 |
| 2100 | 354.70 | 354.70 | 354.70 |
| 2250 | 470.85 | 470.86 | 470.86 |
| 2400 | 507.25 | 507.25 | 507.25 |
| 2550 | 539.00 | 539.00 | 539.00 |
| 2700 | 570.61 | 570.61 | 570.61 |
| 2850 | 602.46 | 602.46 | 602.46 |
| 3000 | 634.30 | 634.30 | 634.30 |
| 3300 | 697.48 | 697.48 | 697.48 |
| 3600 | 771.15 | 771.15 | 771.15 |
| 3900 | 1009.14 | 1009.14 | 1009.14 |
| 4200 | 1086.49 | 1086.49 | 1086.49 |
| 4575 | — | — | — |
| 4800 | — | — | — |

Closed Eaves

Cavity Wall 90-125mm



| (mm) | CGE90/100 |
|------|-----------|
| 750 | 56.61 |
| 900 | 68.41 |
| 1050 | 82.65 |
| 1200 | 90.75 |
| 1350 | 102.13 |
| 1500 | 115.17 |
| 1650 | 128.07 |
| 1800 | 157.47 |
| 1950 | — |
| 2100 | 184.57 |
| 2250 | — |
| 2400 | 262.90 |
| 2550 | — |
| 2700 | 295.59 |
| 2850 | — |
| 3000 | — |
| 3300 | — |
| 3600 | — |
| 3900 | — |
| 4200 | — |
| 4575 | — |
| 4800 | — |

Extreme Loads*

Cavity 50-65mm 70-85mm



| CXL240 | CXL265 |
|---------|---------|
| 1165.67 | 1263.55 |

Cavity 90-105mm 110-125mm



| CXL290 | CXL310 |
|---------|--------|
| 1459.37 | 786.04 |

Cavity 130-145mm 150-165mm



| CXL330 | CXL350 |
|---------|---------|
| 1702.51 | 1754.37 |

*Prices per metre, starting from 2100 lengths.
Product available in 6-10 working days.

Internal Solid Walls

75mm and 100 mm

| Cavity | 75mm | 100mm | 100mm | 100mm | 100mm | 100mm | 140mm | 140mm | 140mm |
|--------|-------|-------|-------|--------|---------|--------|--------|---------|--------|
| | | | | | | | | | |
| (mm) | CN92 | CN102 | CN100 | BSD100 | BHD100 | BXD100 | BSD140 | BHD140 | BXD140 |
| 750 | — | — | — | 78.22 | 90.58 | 139.15 | — | — | — |
| 900 | — | — | — | 85.84 | 99.40 | 167.00 | — | — | — |
| 1050 | 17.00 | 21.50 | 52.48 | 94.12 | 108.98 | 194.81 | 101.79 | 114.52 | 204.98 |
| 1200 | 19.23 | 23.73 | 65.20 | 96.55 | 111.80 | 226.92 | 116.34 | 130.88 | 234.26 |
| 1350 | — | — | — | 102.45 | 118.61 | 248.21 | 130.88 | 147.23 | 263.55 |
| 1500 | — | — | — | 108.47 | 128.24 | 271.01 | 145.41 | 163.59 | 292.82 |
| 1650 | — | — | — | 137.37 | 276.60 | 361.62 | 159.96 | 312.12 | 378.76 |
| 1800 | — | — | — | 150.27 | 296.65 | 394.50 | 174.49 | 340.49 | 413.20 |
| 1950 | — | — | — | 163.53 | 308.21 | 427.37 | 189.04 | 368.87 | 447.62 |
| 2100 | — | — | — | 171.75 | 331.92 | 460.24 | 203.57 | 397.23 | 482.05 |
| 2250 | — | — | — | 203.34 | 335.35 | 467.57 | 225.30 | 425.62 | 516.49 |
| 2400 | — | — | — | 216.97 | 357.66 | 505.16 | 240.49 | 453.97 | 550.92 |
| 2550 | — | — | — | 234.99 | 379.99 | 506.99 | 255.57 | 482.36 | 585.35 |
| 2700 | — | — | — | 248.54 | 402.36 | 513.48 | 270.94 | 510.73 | 619.77 |
| 2850 | — | — | — | 409.74 | 517.50 | — | 539.10 | 592.82 | — |
| 3000 | — | — | — | 431.43 | 536.21 | — | 567.47 | 624.01 | — |
| 3300 | — | — | — | 476.33 | 599.20 | — | 624.22 | 686.41 | — |
| 3600 | — | — | — | 521.05 | 653.68 | — | 680.96 | 748.81 | — |
| 3900 | — | — | — | 698.69 | 1222.21 | — | 811.21 | 1371.49 | — |
| 4200 | — | — | — | 752.44 | 1316.23 | — | 873.62 | 1476.97 | — |
| 4575 | — | — | — | 819.61 | 1431.31 | — | 951.61 | 1608.90 | — |
| 4800 | — | — | — | 843.76 | 1504.24 | — | 998.41 | 1688.02 | — |

External Solid Walls

Exterior Solid Wall 200 and 215mm

| (mm) | CN71A | CN71C | CN81B | CN81C | CN50C | CN51C |
|------|--------|--------|--------|---------|--------|--------|
| 750 | — | — | — | — | — | — |
| 900 | 123.62 | 206.20 | — | — | 123.62 | — |
| 1050 | 143.98 | 240.56 | — | — | — | — |
| 1200 | 159.64 | 274.91 | — | — | 159.64 | — |
| 1350 | 184.69 | 309.25 | — | — | 184.69 | — |
| 1500 | 209.08 | 343.65 | — | — | 209.08 | — |
| 1650 | 230.72 | 377.97 | — | — | — | — |
| 1800 | 252.39 | 412.34 | — | — | 252.39 | — |
| 1950 | 259.98 | 446.71 | — | — | — | — |
| 2100 | 294.09 | — | 492.75 | 612.52 | — | 294.09 |
| 2250 | 344.40 | — | 500.51 | 656.21 | — | — |
| 2400 | 366.26 | — | 533.79 | 672.21 | — | 366.26 |
| 2550 | 378.57 | — | 567.19 | 695.42 | — | — |
| 2700 | 400.71 | — | 589.56 | 713.88 | — | 400.71 |
| 2850 | — | — | 601.33 | 771.68 | — | — |
| 3000 | — | — | 616.98 | 811.27 | — | — |
| 3300 | — | — | 644.61 | 839.57 | — | — |
| 3600 | — | — | 727.86 | 911.64 | — | — |
| 3900 | — | — | — | 983.99 | — | — |
| 4200 | — | — | — | 1044.14 | — | — |
| 4575 | — | — | — | 1094.51 | — | — |
| 4800 | — | — | — | 1166.60 | — | — |

Fairface Brick 215mm

Single Leaf

102mm Exterior Wall

| (mm) | MBA | ANG | CCS |
|------|-------|--------|--------|
| 750 | 35.20 | — | 56.16 |
| 900 | — | 56.33 | 66.92 |
| 1050 | — | 65.70 | 78.54 |
| 1200 | — | 74.95 | 89.45 |
| 1350 | 63.22 | 84.34 | 100.96 |
| 1500 | — | 93.78 | 112.03 |
| 1650 | — | 116.03 | 123.12 |
| 1800 | — | 126.52 | 134.40 |
| 1950 | — | 136.93 | 184.37 |
| 2100 | — | 149.21 | 198.52 |
| 2250 | — | 193.70 | 212.72 |
| 2400 | — | 206.30 | 226.90 |
| 2550 | — | 299.59 | 321.41 |
| 2700 | — | 317.27 | 340.33 |
| 2850 | — | 348.99 | 359.23 |
| 3000 | — | 383.90 | 378.12 |
| 3300 | — | 535.26 | 665.38 |
| 3600 | — | 583.94 | 725.89 |
| 3900 | — | 632.59 | 786.37 |
| 4200 | — | — | 846.86 |
| 4575 | — | — | 922.45 |
| 4800 | — | — | 967.84 |

Please note: All prices shown in GBP. Prices shown in Orange are non-stocked products and are available in 6 working days.

Timber Frame Lintel

Cavity 50-65mm 70-85mm 90-105mm



| (mm) | CTF5 | CTF7 | CTF9 |
|------|--------|--------|--------|
| 750 | 34.62 | 36.30 | 42.94 |
| 900 | 41.32 | 43.55 | 50.71 |
| 1050 | 48.47 | 50.77 | 59.52 |
| 1200 | 55.37 | 58.00 | 68.13 |
| 1350 | 65.13 | 82.27 | 77.23 |
| 1500 | 71.31 | 91.42 | 88.59 |
| 1650 | 88.27 | 109.04 | 107.91 |
| 1800 | 96.39 | 118.96 | 120.87 |
| 1950 | 108.57 | 128.87 | 136.74 |
| 2100 | 119.03 | 138.78 | 147.29 |
| 2250 | 145.52 | 148.71 | 167.52 |
| 2400 | 159.64 | 158.61 | 195.12 |
| 2550 | 173.43 | 243.64 | 224.41 |
| 2700 | 185.36 | 258.04 | 237.92 |
| 2850 | 244.48 | 272.33 | 299.22 |
| 3000 | 257.41 | 286.66 | 315.00 |
| 3300 | 286.28 | 339.76 | 452.14 |
| 3600 | 428.17 | 370.63 | 493.27 |
| 3900 | 463.97 | 439.45 | 608.64 |
| 4200 | 499.71 | 473.30 | 655.45 |
| 4575 | 535.28 | 515.51 | 713.97 |
| 4800 | 562.71 | 540.88 | 749.10 |

Heavy duty CTFs are available on request. All timber frame lintels must be fixed using restraint clips which are supplied free of charge.

Arch Lintels



Standard Semi-circular Arch Lintels

| CCA600 | CCA630 | CCA900 | CCA915 | CCA1200 |
|--------|--------|--------|--------|---------|
| 366.00 | 379.28 | 499.42 | 506.31 | 635.05 |

| CCB600 | CCB630 | CCB900 | CCB915 | CCB1200 |
|--------|--------|--------|--------|---------|
| 389.52 | 403.72 | 531.71 | 539.08 | 676.38 |

Product available in 5 working days.

Arch Centres



| Code | Length (mm) | Structural Opening (mm) | Rise (mm) | £/each |
|----------|-------------|-------------------------|-----------|--------|
| ACA0475 | 475 | 450-500 | 75 | 60.76 |
| ACA0625 | 625 | 600-650 | 75 | 68.29 |
| ACA0675 | 675 | 650-700 | 75 | 74.23 |
| ACA0875* | 875 | 850-900 | 75 | 79.87 |
| ACA0925 | 925 | 900-950 | 75 | 82.48 |
| ACA1075 | 1075 | 1050-1100 | 75 | 88.81 |
| ACA1225 | 1225 | 1200-1250 | 75 | 95.40 |
| ACA1375 | 1375 | 1350-1400 | 75 | 103.36 |
| ACA1475 | 1475 | 1450-1500 | 75 | 111.85 |
| ACA1625 | 1625 | 1600-1650 | 75 | 120.75 |
| ACA1775 | 1775 | 1750-1800 | 75 | 130.21 |
| ACB2125 | 2125 | 2100-2150 | 150 | 201.12 |
| ACB2325 | 2325 | 2300-2350 | 150 | 221.68 |
| ACB2425 | 2425 | 2400-2450 | 150 | 221.68 |

*ACA0875 is made to order and available in 10-15 working days. Supplied in white. Made under licence. British Patent No. 2063953.

Special Lintels

A range of exciting shapes for unique designs and feature brickwork to inspire today's architects and builders.

Prices available on application. All made to order lintels are available in 10 working days from receipt of order and approved drawing.

Examples



Parabolic Arch Lintel



Bull's Eye Lintel



Curved On Plan Lintel

Stainless Steel Lintels

All galvanised steel lintel products shown in the current lintel brochure are available in stainless steel. Special lintels are also available in stainless steel. **Prices available on application.**

Steelwork

Universal Beams, Universal Channels and Parallel Flange Channels available for when loading conditions exceed our standard range of lintel. **Prices available on application.**

Juliet Balconies

A standard range of Juliet Balconies are available from Catnic. Juliet Balconies are commonly used to provide a safety barrier in front of French windows. **Prices available on application.**

Accessories

Weep Vents[†] (50 per box)

| Terracotta | Grey | Beige |
|------------|-------|-------|
| 40.01 | 40.01 | 40.01 |



PVCu Soffit Cladding[†] (Price per metre)

| FC White | FC Brown | RC White |
|----------|----------|----------|
| 9.96 | 9.96 | 10.16 |



Stop Ends[†] (50 per box)

| C90 | CL3 |
|-------|-------|
| 79.34 | 79.34 |



External Plaster Key

| PKS87 |
|----------------------------|
| 99.63 per pack - 10 x 1.2m |



[†]These products are excluded from our BS ISO 9001 registration as they are not manufactured on Catnic premises.

www.catnic.com

Catnic Conditions of Sale can be downloaded from www.catnic.com/downloads

This price list supersedes all previous lists. All prices are for normal UK delivery, £ Sterling and exclusive of VAT. Catnic reserves the right to revise prices and product specifications described herein without prior notice.

Care has been taken to ensure that the contents of this publication are accurate, but Tata Steel Europe Limited and its subsidiaries do not accept responsibility or liability for errors or information that is found to be misleading.

© Copyright 2018 Tata Steel UK Limited.

Catnic
Pontypandy Industrial Estate
Caerphilly
CF83 3GL

T: 029 2033 7900
F: 029 2086 7796

English version



CLPL:3000:UK:02/2018 2